

XProtect Comparison Chart February 2011

Feature difference compared to lower product			XPES 1.0 compared to XPGO	XPP 7.0 compared to XPES 1.0	XPE 7.0 compared to XPP 7.0	XPCO 4.0 compared to XPE 7.0
Product Name & version	XProtect Go 1.0	XProtect Basis+ 6.5	Xprotect Essential 1.0	XProtect Professional 7.0	XProtect Enterprise 7.0	XProtect Corporate 4.0
Feature Overview						
Feature Scope	Fundamental	Basic	Essential	Advanced	Comprehensive	Premium
Live View 30+ FPS	◆	◆	◆	◆	◆	◆
Device Control (PTZ)	◆	◆	◆	◆	◆	◆
Recording and Playback	◆	◆	◆	◆	◆	◆
Archiving Schedules	Hourly	Hourly	Hourly	Hourly	Hourly	Hourly
Multi-stage Video Storage Management	-	-	-	-	-	◆
I/O and Event Control	◆	◆	◆	◆	◆	◆
PTZ Patrolling and Scanning/Transition speed	-	-	-	◆	◆	◆
Audio Support	◆	◆	◆	◆	◆	◆
Audio Recording	◆	◆	◆	◆	◆	◆
Client Access (Max. Clients)	1	5	5	Unlimited	Unlimited	Unlimited
Video Export Formats	AVI with watermark	JPEG, AVI	JPEG, AVI	JPEG, AVI, Native Database	JPEG, AVI, Native Database	JPEG, AVI, Native Database
Microsoft Active Directory Support	-	-	-	-	◆	◆
Centralized Management	-	-	-	-	-	◆
Milestone Federated Architecture™	-	-	-	-	-	◆
Full Client (Smart Client)	◆	◆	◆	◆	◆	◆
Web Client (Remote Client)	-	◆	◆	◆	◆	◆
Mobile Client (PDA Client)	-	-	-	◆	◆	-
Display views as floating window and on multiple monitors	-	-	-	◆	◆	◆
Map function	-	-	-	-	-	◆
Alarm Manager	-	-	-	-	-	◆
Privacy Masking	-	-	-	-	-	◆
Supports Smart Wall video wall add-on ¹	-	-	-	-	-	◆
Virtual Matrix	-	-	-	◆	◆	◆
Transact Support	-	◆	◆	◆	◆	◆
XProtect Central Support	-	-	-	◆	◆	◆
Open SDK for third party application integration	-	-	-	◆	◆	◆
Milestone Integration Platform	-	-	-	-	-	◆
XProtect Analytics Framework	-	-	-	◆	◆	◆
Multiple Servers per System	-	-	-	-	◆	◆
Max. Cameras per System	8 ²	25	26	64	Unlimited	Unlimited
Recording Server Failover	-	-	-	-	-	◆
Edge Storage Support	-	-	-	-	-	◆
Multicast Support	-	-	-	-	-	◆
Multiple Stream Per Camera (Multistream)	-	-	-	-	-	◆
Device License Packages	Free	4, 6, 9, 16, 25	Open	Open	Open	Open
Multi-CPU support	◆	◆	◆	◆	◆	◆

XProtect Comparison Chart February 2011

Feature difference compared to lower product		XPES 1.0 compared to XPGO	XPP 7.0 compared to XPES 1.0	XPE 7.0 compared to XPP 7.0	XPCO 4.0 compared to XPE 7.0	
Product Name & version	XProtect Go 1.0	XProtect Basis+ 6.5	Xprotect Essential 1.0	XProtect Professional 7.0	XProtect Enterprise 7.0	XProtect Corporate 4.0
IPv4 support	◆	◆	◆	◆	◆	◆
IPv6 support	-	-	-	-	-	◆
Product Upgrade	-	◆	◆	◆	◆	-
Product Maintenance Agreement	-	-	◆	◆	◆	◆
Installation Environments						
Residential	◆	◆	-	-	-	-
Small-Office Home-Office	◆	◆	◆	-	-	-
Small-to-Medium-Sized Business	-	◆	◆	◆	◆	◆
Enterprises	-	-	-	-	◆	◆
Modules						
Recording Server	◆	◆	◆	◆	◆	◆
Recording Failover Server	-	-	-	-	-	◆
Management Server	-	-	-	-	-	◆
Management Failover Server	-	-	-	-	-	◆
Local Management Console (Management Application)	◆	◆	◆	◆	◆	-
Recording Server Manager	◆	◆	◆	◆	◆	◆
Remote Management Console (Management Client)	-	-	-	-	-	◆
Management Server Portal (Download Manager)	-	◆	◆	◆	◆	◆
Event Server	-	-	-	-	-	◆
Local Playback/Export Client (Viewer)	-	◆	◆	◆	◆	-
Full Client (Smart Client)	◆	◆	◆	◆	◆	◆
Web Client (Remote Client)	-	◆	◆	◆	◆	◆
Mobile Client (PDA Client)	-	-	-	◆	◆	-

XProtect Comparison Chart February 2011

Feature difference compared to lower product			XPES 1.0 compared to XPGO	XPP 7.0 compared to XPES 1.0	XPE 7.0 compared to XPP 7.0	XPCO 4.0 compared to XPE 7.0
Product Name & version	XProtect Go 1.0	XProtect Basis+ 6.5	Xprotect Essential 1.0	XProtect Professional 7.0	XProtect Enterprise 7.0	XProtect Corporate 4.0
System						
MJPEG Support	◆	◆	◆	◆	◆	◆
MPEG-4 Support	◆	◆	◆	◆	◆	◆
MPEG-4 ASP Support	◆	◆	◆	◆	◆	◆
MxPEG Support	◆	◆	◆	◆	◆	◆
H.264 Support	◆	◆	◆	◆	◆	◆
Support for ONVIF™ Compliant Devices	◆	◆	◆	◆	◆	◆
Support for PSIA Compliant Devices	◆	◆	◆	◆	◆	◆
Generic Device support via Universal Driver	◆	◆	◆	◆	◆	◆
Number IP Device Brands ³ Supported via Dedicated Device Integration	84	84	84	84	84	54
Number of dedicated IP Device Models ³ supported via Dedicated Device Integration	922	922	922	922	922	694
Supported DVRs ³	-	-	-	-	2	-
Multi-streaming for differentiated live and recording streams	-	-	-	-	-	◆
Multiple Stream Per Camera	-	-	-	-	-	◆
Multicast	-	-	-	-	-	◆
Client video stream down sampling (resolution and FPS) option	◆	◆	◆	◆	◆	◆
Max. Recording Servers per System	1	1	1	1	Unlimited	Unlimited
Recording Server Failover	-	-	-	-	-	◆
Edge Storage Support	-	-	-	-	-	◆
Max Devices Installed per Server	8	4, 6, 9, 16 or 25	26	64	Unlimited	Unlimited
Devices Recording per Server	8	25	26	64	64	Unlimited
Send camera pre-alarm images to Recording Server	◆	◆	◆	◆	◆	◆
Video Recording Speed Up	On Motion or Event	On Motion or Event	On Motion or Event	On Motion or Event	On Motion, Event and Time Schedule	On Motion, Event and Time Schedule
Built-in Video Motion Detection (VMD)	◆	◆	◆	◆	◆	◆
VMD Exclusion Zones	◆	◆	◆	◆	◆	◆
Video Motion Detections per Server	8	25	26	64	64	Unlimited
Video retention time	Max. 5 days	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited
Recording Capacity Per Device/Day	Max. 960 GB ⁴ (Using Archiving)	Max. 960 GB ⁴ (Using Archiving)	Max. 960 GB ⁴ (Using Archiving)	Max. 960 GB ⁴ (Using Archiving)	Max. 960 GB ⁴ (Using Archiving)	Unlimited
Audio						
One-way Audio Support	◆	◆	◆	◆	◆	◆
Two-way Audio Support	-	-	-	◆	◆	◆
One-way Audio Recording	◆	◆	◆	◆	◆	◆
Two-way Audio Recording	-	-	-	-	-	◆
Supported Audio Channels	1	1	1	Multiple	Multiple	Multiple

XProtect Comparison Chart February 2011

Feature difference compared to lower product			XPES 1.0 compared to XPGO	XPP 7.0 compared to XPES 1.0	XPE 7.0 compared to XPP 7.0	XPCO 4.0 compared to XPE 7.0
Product Name & version	XProtect Go 1.0	XProtect Basis+ 6.5	Xprotect Essential 1.0	XProtect Professional 7.0	XProtect Enterprise 7.0	XProtect Corporate 4.0
PTZ						
Preset Positions per camera	25	25	25	50	50	Unlimited
Goto Preset on Event	◆	◆	◆	◆	◆	◆
Preset Patrolling	-	-	-	◆	◆	◆
Combine Patrolling and Goto Preset on Event	-	-	-	◆	◆	◆
Scanning / Transition speed	-	-	-	◆	◆	◆
Number of PTZ priority levels for prioritized PTZ control	-	-	-	1	1	32,000
Wash and Wipe Command Support	◆	◆	◆	◆	◆	-
I/O and Events						
Input Events	◆	◆	◆	◆	◆	◆
Interactive Splash screens						
Motion Detection Events	◆	◆	◆	◆	◆	◆
Event-based Device Configuration	-	-	-	-	-	◆
Event-based Alerts	-	-	-	-	-	◆
Event-based Notification	◆	◆	◆	◆	◆	◆
Event-based Output Control	◆	◆	◆	◆	◆	◆
Event-based Device Start/Stop	◆	◆	◆	◆	◆	◆
Event-based Matrix Control	-	-	-	◆	◆	◆
Hardware configurable events (such as tampering, temperature, video lost)	◆	◆	◆	◆	◆	◆
OPC Data Access Support	-	-	-	-	◆	-
Bookmark Function						
Manual bookmarking	-	-	-	-	-	◆
Quick bookmarking	-	-	-	-	-	◆
Rulebased bookmarking	-	-	-	-	-	◆
Alarm Manager						
Triger alarms on all internal and external events	-	-	-	-	-	◆
Alarm description and work instructions	-	-	-	-	-	◆
Number of alarm priority levels	-	-	-	-	-	3
Ability to assign initial owner of an alarm	-	-	-	-	-	◆
Time profiles for alarms	-	-	-	-	-	◆
Maximum number of cameras associated to one alarm	-	-	-	-	-	15
Alarm Logging	-	-	-	-	-	◆

XProtect Comparison Chart February 2011

Feature difference compared to lower product		XPES 1.0 compared to XPGO	XPP 7.0 compared to XPES 1.0	XPE 7.0 compared to XPP 7.0	XPCO 4.0 compared to XPE 7.0	
Product Name & version	XProtect Go 1.0	XProtect Basis+ 6.5	Xprotect Essential 1.0	XProtect Professional 7.0	XProtect Enterprise 7.0	XProtect Corporate 4.0
Archiving						
Archiving of Recordings	◆	◆	◆	◆	◆	◆
Keep Online Access to Archives	◆	◆	◆	◆	◆	◆
Parallel Archiving and Recording	◆	◆	◆	◆	◆	◆
Archiving Schedules	Hourly	Hourly	Hourly	Hourly	Hourly	Hourly
Multi-stage Video Storage	-	-	-	-	-	◆
Video Data Grooming	-	-	-	-	-	◆
Retention Time per Device	◆	-	◆	◆	◆	◆
Storage Definition per Device	◆	-	◆	◆	◆	◆
Archiving to Network Drives	-	-	-	◆	◆	◆
Storage overview (used vs. available space) of available storage drives	◆	-	◆	◆	◆	◆
Dynamic Archiving (Disk Spanning)	-	-	-	◆	◆	-
Force Automatic Archiving	◆	◆	◆	◆	◆	-
Video Data Encryption	-	-	-	-	-	◆
Integration						
Video Content Analysis Support	-	-	-	◆ (Add-on Product)	◆ (Add-on Product)	◆ (Add-on Product)
Recording Server API/SDK	-	-	-	◆	◆	◆
Client Plug-in Support	-	-	-	◆	◆	◆
Milestone Integration Platform SDK	-	-	-	-	-	◆
User Defined Events via TCP/IP	-	-	-	-	-	◆
Generic Events via TCP/IP	-	-	-	◆	◆	-
OPC Data Access Support	-	-	-	-	◆	-
Management						
Configuration Wizards	◆	-	◆	◆	◆	◆
Automatic Device Scanning	◆	-	◆	◆	◆	◆
Automatic Device Model Detection	◆	◆	◆	◆	◆	◆
Device Replacement Wizard	-	-	-	-	-	◆
Centralized Device Management	-	-	-	-	-	◆
Device Group Support	-	-	-	-	-	◆
Centralized Recording Server Management	-	-	-	-	-	◆
Centralized User Management	-	-	-	-	◆ (only Active Directory)	◆
Centralized management of Smart Client application options	-	-	-	-	-	◆
Time schedule controlled user authorization to devices and functions	-	-	-	-	-	◆
On-the-fly configuration changes	-	-	-	-	-	◆
Run Servers as Windows Services	◆	◆	◆	◆	◆	◆

XProtect Comparison Chart February 2011

Feature difference compared to lower product			XPES 1.0 compared to XPGO	XPP 7.0 compared to XPES 1.0	XPE 7.0 compared to XPP 7.0	XPCO 4.0 compared to XPE 7.0
Product Name & version	XProtect Go 1.0	XProtect Basis+ 6.5	Xprotect Essential 1.0	XProtect Professional 7.0	XProtect Enterprise 7.0	XProtect Corporate 4.0
Scheduled Start/Stop of Devices	◆	◆	◆	◆	◆	◆
System Configuration Restore Points	◆	-	◆	◆	◆	-
Export and import of configuration data	◆	-	◆	◆	◆	-
Automatic Device MAC Address Registration	-	-	-	-	-	◆
Online Activation	-	-	-	-	-	◆
Offline Activation	◆	◆	◆	◆	◆	◆
Viewing clients						
Max. Number of Clients	1	5	5	Unlimited	Unlimited	Unlimited
Customizable Access Port	◆	◆	◆	◆	◆	◆
Support NAT Firewalls	◆	◆	◆	◆	◆	◆
Multicast Support	-	-	-	-	-	◆
Local Proprietary Account Database Support	◆	◆	◆	◆	◆	-
Local Windows Account Database Support	◆	◆	◆	◆	◆	◆
Microsoft Active Directory Support	-	-	-	-	◆	◆
Single step installer (installs Smart Client together with server)	◆	-	-	-	-	-
Smart Wall Application Add-On¹						
Supports Smart Wall video wall add-on	-	-	-	-	-	◆
Number of Smart Walls and Smart Wall displays	-	-	-	-	-	Unlimited
Number of concurrent video streams	-	-	-	-	-	Unlimited
Maximum number of video streams per display	-	-	-	-	-	100
Presets for display layouts and camera content	-	-	-	-	-	◆
Rule based control of layout and content	-	-	-	-	-	◆
User control of layout and content	-	-	-	-	-	◆
Alerting and Notification						
Alert at Camera Com. Failure	◆	◆	◆	◆	◆	◆
Alert at Disk Full	◆	◆	◆	◆	◆	◆
E-mail Notification	◆	◆	◆	◆	◆	◆
SMS Notification	-	-	-	◆	◆	-
Multiple Notification Profiles	-	-	-	-	-	◆
SNMP Notification	-	-	-	-	-	◆

XProtect Comparison Chart February 2011

Feature difference compared to lower product			XPES 1.0 compared to XPGO	XPP 7.0 compared to XPES 1.0	XPE 7.0 compared to XPP 7.0	XPCO 4.0 compared to XPE 7.0
Product Name & version	XProtect Go 1.0	XProtect Basis+ 6.5	Xprotect Essential 1.0	XProtect Professional 7.0	XProtect Enterprise 7.0	XProtect Corporate 4.0
Logging						
System Logging	◆	◆	◆	◆	◆	◆
Event Logging	◆	◆	◆	◆	◆	◆
Audit Logging	◆	◆	◆	◆	◆	◆
Rule Logging	-	-	-	-	-	◆
Alert Logging	-	-	-	-	-	◆
Languages						
Brazilian	-	-	-	-	-	◆ ⁶
Chinese (Simplified)	◆	◆	◆	◆	◆	◆ ⁶
Chinese (Traditional)	-	-	-	-	-	◆ ⁶
Danish	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁶
English	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁶
French	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁶
German	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁶
Italian	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁶
Japanese	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁶
Russian	-	-	-	-	-	◆ ⁶
Spanish	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁵	◆ ⁶

1: Smart Wall subject to separate application license

2: No more than 4 USB cameras can be added.

3: Information accurate as per August 2010. Actual number is expected to increase over time.

4: Actual effective storage available will vary dependent on the stored video format.

5: Help system and in English only

6: Installation and UI. Help system and in English only

XProtect Comparison Chart February 2011

Access Client	XProtect Remote Client						XProtect Smart Client					
	-	3.5	3.7	3.7	3.7	3.7	5.5	3.6	5.5	5.5	5.5	5.5
Current Client Version	-	3.5	3.7	3.7	3.7	3.7	5.5	3.6	5.5	5.5	5.5	5.5
XProtect Platform	XPGO	XPB+	XPES	XPP	XPE	XPC	XPGO	XPB+	XPES	XPP	XPE	XPCO
Live view												
Number of view layouts	-			7			38	15	38	38	38	38
Max View Items Per View	-			16			100	64	100	100	100	100
Optimized view layouts for 4:3 and 16:9 display ratios	-			-			◆	-	◆	◆	◆	◆
Optimized view layouts for landscape and portrait displays	-			-			◆	-	◆	◆	◆	◆
Cameras from multiple servers	-	-	-	-	◆	◆	-	-	-	◆	◆	◆
Shared views	-			◆					◆			
Private views	-			◆					◆			
Smart Wall views ¹	-			-			-	-	-	-	-	◆
Images in views	-			◆					◆			
Active HTML pages in views	-			◆					◆			
Hide HTML Toolbar	-			-					◆			
Hotspot in views	-			-					◆			
Carousel in views	-			-					◆			
Controllable Carousel	-			-			◆	◆	◆	◆	◆	◆
Virtual Matrix in views	-			-			◆	-	◆	◆	◆	◆
Overlay buttons	-			-			◆	-	◆	◆	◆	◆
Full screen mode	-			-			◆	-	◆	◆	◆	◆
Display views as floating window	-			-			-	-	-	◆	◆	◆
Display views on multiple monitors	-			-			-	-	-	◆	◆	◆
Initial default view	-			-			◆	-	-	-	-	-
Automatic Restore Views and Windows at Login	-			-					◆			
Update On Motion Only	-			-					◆			
One-way Audio support	-			-					◆			
Two-way Audio Support	-			-			-	-	-	◆	◆	◆
Audible alerts by VMD or event	-			-					◆			
Start Recording in View	-			-			◆	◆	◆	◆	◆	-
Independent playback in live mode	-			-			◆	-	◆	◆	◆	◆
Change Camera Online in View	-			-					◆			
Send Camera to Virtual Matrix	-			-			-	-	-	◆	◆	◆
Copy image to clipboard	-			-					◆			
Assign commands to keyboard shortcuts and joystick buttons	-			-					◆			
Switch to Camera by Number	-			-					◆			



XProtect Comparison Chart February 2011

Access Client	XProtect Remote Client						XProtect Smart Client					
Current Client Version	-	3.5	3.7	3.7	3.7	3.7	5.5	3.6	5.5	5.5	5.5	5.5
XProtect Platform	XPGO	XPB+	XPES	XPP	XPE	XPC	XPGO	XPB+	XPES	XPP	XPE	XPCO
PTZ Support												
Manual mode	-			◆						◆		
Point and click control	-			◆						◆		
Zoom into marked rectangle	-			◆						◆		
Zoom using mouse wheel	-			◆						◆		
Digital zoom	-			-						◆		
Goto Preset Positions	-			◆						◆		
Pause patrolling at Manual Operation	-	-	-	◆	◆	◆	◆	-	◆	◆	◆	-
Grandeye 360° Quad View	-			◆						◆		
Joystick support	-			◆						◆		
Auxiliary Commands (wash and wipe)	-			-						◆		
I/O and Events												
Manually activate events	-			◆						◆		
Manually trigger outputs	-			◆						◆		
Playback												
Max View Items Per View	-			16			100	64	100	100	100	100
Recording Search	-			-						◆		
Time/Date Search	-			◆						◆		
Smart Search	-			-			-	-	-	◆	◆	◆
Independent playback in playback mode	-			-			◆	-	◆	◆	◆	◆
Event/Alert list in Recording	-			◆						◆		
Graphical Timeline	-			-						◆		
Adjust Playback Speed	-			◆						◆		
Single Step	-			◆						◆		
One-way Audio support	-			-						◆		
Two-way Audio support	-			-			-	-	-	◆	◆	◆
Digital zoom	-			-						◆		
Print Image	-			◆						◆		
Print Report w/Comments	-			◆						◆		
Privacy masking	-			-			-	-	-	-	-	◆
Sequence Explorer												
Listing of Sequences	-			-			◆	-	◆	◆	◆	◆
Listing of Time Intervals	-			-			◆	-	◆	◆	◆	◆



XProtect Comparison Chart February 2011

Access Client	XProtect Remote Client						XProtect Smart Client					
	-	3.5	3.7	3.7	3.7	3.7	5.5	3.6	5.5	5.5	5.5	5.5
Current Client Version	-	3.5	3.7	3.7	3.7	3.7	5.5	3.6	5.5	5.5	5.5	5.5
XProtect Platform	XPGO	XPB+	XPES	XPP	XPE	XPC	XPGO	XPB+	XPES	XPP	XPE	XPCO
Listing of Bookmarks	-			-			-	-	-	-	-	◆
Bookmark Function												
Manual bookmarking	-			-			-	-	-	-	-	◆
Quick bookmarking	-			-			-	-	-	-	-	◆
Instant preview of bookmarks in timeline	-			-			-	-	-	-	-	◆
Listing and previewing of bookmarks in recording search	-			-			-	-	-	-	-	◆
Bookmark report print	-			-			-	-	-	-	-	◆
Direct video export of bookmark	-			-			-	-	-	-	-	◆
Alarm Manager												
Alarm list in live and playback views	-			-			-	-	-	-	-	◆
Extensive sort and filtering functions	-			-			-	-	-	-	-	◆
Instant preview of primary camera and related cameras	-			-			-	-	-	-	-	◆
Integration with Map Function	-			-			-	-	-	-	-	◆
Alarm description / work instructions	-			-			-	-	-	-	-	◆
Escalation and forwarding handling	-			-			-	-	-	-	-	◆
Alarm report print	-			-			-	-	-	-	-	◆
Map Function												
Standard graphical file formats supported for import of maps	-			-			-	-	-	-	-	◆
Number of linked map layers supported	-			-			-	-	-	-	-	Unlimited
Video preview at mouse over	-			-			-	-	-	-	-	◆
Integrated control of speakers, microphones and I/O devices	-			-			-	-	-	-	-	◆
Drag-and-drop and point-and-click definition of system components and hotzones	-			-			-	-	-	-	-	◆
Integrated PTZ control	-			-			-	-	-	-	-	◆
Real-time system integrity overview and system performance	-			-			-	-	-	-	-	◆
Smart Wall Application Add-On¹												
User control of layout and content	-			-			-	-	-	-	-	◆
Local subscription to Smart Wall views for local display	-			-			-	-	-	-	-	◆



XProtect Comparison Chart February 2011

Access Client	XProtect Remote Client						XProtect Smart Client					
	-	3.5	3.7	3.7	3.7	3.7	5.5	3.6	5.5	5.5	5.5	5.5
Current Client Version	-	3.5	3.7	3.7	3.7	3.7	5.5	3.6	5.5	5.5	5.5	5.5
XProtect Platform	XPGO	XPB+	XPES	XPP	XPE	XPC	XPGO	XPB+	XPES	XPP	XPE	XPCO
Export												
Export as JPEG	-			◆			-				◆	
Export as AVI	-			◆			◆ ²				◆	
Export AVI w/Audio	-			-			-	-	-	◆	◆	◆
Export as Native Database	-			-			-	-	-	◆	◆	◆
Encryption Export w/password	-			-			-	-	-	◆	◆	◆
Auto-Export of Viewer	-			-			-	-	-	◆	◆	◆
Privacy masking	-			-			-	-	-	-	-	◆
Installation												
Run without Installation	-			◆						-		
Single step installer (installs client together with server)	-			-			◆				-	
Initial and update installations from Management Server (Image Server in XPGO, XPES, XPP and XPE)	-			◆						◆		
Notify about new Updates	-			-						◆		
Interactive splash screens	-						◆				-	
Authentication												
Basic User	-			◆			◆	◆	◆	◆	◆	-
Windows User (Local Database)	-			◆						◆		
Windows User (Active Directory)	-	-	-	-	◆	◆	-	-	-	◆	◆	◆
Auto-Login	-			-						◆		
Authorization												
Restrict user access by devices (cameras, microphones, I/O devices, etc,)	-			◆						◆		
Time schedule controlled user authorization to devices and functions	-			-			-	-	-	-	-	◆
Restrict access to live view	-			◆						◆		
Restrict access to PTZ	-			◆						◆		
Restrict access to playback	-			◆						◆		
Restrict access to export	-			◆						◆		
Restrict access to setup	-			◆						◆		
Personalization												
Application options	-			-			◆	-	◆	◆	◆	◆
Centralized management of application options	-			-			-	-	-	-	-	◆

XProtect Comparison Chart February 2011

Access Client	XProtect Remote Client						XProtect Smart Client					
	Current Client Version	-	3.5	3.7	3.7	3.7	3.7	5.5	3.6	5.5	5.5	5.5
XProtect Platform	XPGO	XPB+	XPES	XPP	XPE	XPC	XPGO	XPB+	XPES	XPP	XPE	XPCO
Languages (Installation, UI and Help function)												
Arabic	-			-			◆ ⁴				◆	
Bulgarian	-			-			◆ ⁴				◆	
Brazilian	-			-			◆ ⁴				◆	
Chinese (Simplified)	-			◆ ³					◆			
Chinese (Traditional)	-			-			◆ ⁴				◆	
Czech	-			-			◆ ⁴				◆	
Danish	-			◆ ³					◆			
Dutch	-			-			◆ ⁴				◆	
English	-			◆					◆			
Finnish	-			-			◆ ^{3,4}	-	◆ ³	◆ ³	◆ ³	◆ ³
French	-			◆ ³					◆			
German	-			◆ ³					◆			
Hebrew	-			-			◆ ^{3,4}			◆		
Hungarian	-			-			◆ ^{3,4}	-	◆ ³	◆ ³	◆ ³	◆ ³
Italian	-			◆ ³					◆			
Japanese	-			◆ ³					◆			
Korean	-			-			◆ ⁴				◆	
Polish	-			-			◆ ⁴				◆	
Russian	-			-			◆ ⁴				◆	
Slovakian	-			-			◆ ^{3,4}				◆ ³	
Spanish	-			◆ ³					◆			
Swedish	-			◆ ³			◆ ⁴				◆	
Turkish	-			-			◆ ⁴				◆	

Notes:

XPGO: Xprotect Go
 XPB+: XProtect Basis+
 XPES: XProtect Essential
 XPP: XProtect Professional
 XPE: XProtect Enterprise
 XPCO: XProtect Corporate

- 1: Smart Wall subject to separate application license
- 2: Exported AVI files have Milestone logo watermark.
- 3: Only UI is localized; user's manual and help not available
- 4: Language not included in single step installer, but only available as addon installation.

